

SEDAR Client Guide to Uninstalling SEDAR

Version 3.3



Canadian Securities Administrators
Autorités canadiennes en valeurs mobilières

Aug 2023

Uninstalling the SEDAR Client

Before installing the SEDAR client on a workstation, any previously installed version must be removed from that workstation. This is a one-time change from previous software updates, which had only required that a downloadable update be executed.

Previously installed versions should be removed using the Windows uninstaller, which differs slightly depending on the version of Windows.


Windows 8.1 / Windows 10 – Uninstall steps

The following screens will display how to navigate to the control panel to uninstall SEDAR for Windows 8.1 and Windows 10.

1. Navigate to Start Menu, type “Control Panel” and click on it once it appears.


Windows 8.1 Control Panel

- a. Click on Windows button, type in and click on ControlPanel.




Windows 10 Control Panel


- a. Click on Windows button, type in and click on Control Panel




2. In the Control Panel, click on the Programs and Features tab.




- First, select the IBM WebSphere MQ program and click Uninstall.



- Once the IBM WebSphere MQ program uninstall is complete, select the Check Point VPN client program and click Uninstall.



5. On Check Point VPN window, select “Yes” to restart the system and complete the Check Point VPN client program uninstall.
6. Next, select the SEDAR client program and click Uninstall.



7. Once the uninstallation is complete, you will be prompted to restart your workstation; click the “Yes” button and the workstation will be restarted.
8. To finalize the uninstallation, confirm the SEDAR folder is removed from the root of the C:\ drive.